



PRESTIGE POOL

SBD







SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
SBD	Space Bowl	1	10.52	42.10 / D0 7.81	Ø820 / 400	Ø820 / 900
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
4106	13-15	35 x 15	120	10.52	180	11

* All images are representative and must remain confidential between customer and Pridgen Waterparks & Attractions.
 * Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design as the type and quantities of the fittings.

PRESTIGE POOL

M2

SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
M2	Multislide 2 Lanes	1	4,50	25,66	550	1500
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
4106	15-20	27 x 5	120	4,50	40 per lane	3

* All images are representative and must remain confidential between customer and Pulpis Waterparks & Attractions.
 ** Pump capacity and speed may change by the distance of the machine room and the hydro-mechanical design e.g. the type and quantity of the fittings.

PRESTIGE POOL

M4

Technical diagram of the M4 slide tower. The total height is 23.39m. The start height is 4.50m. The width is 6.00m. The diagram shows a vertical tower with a series of slides at the bottom.

Photograph of the M4 slide tower in operation, showing water flowing down the slides.

3D rendering of the M4 slide tower, showing the colorful slides and the surrounding structure.

SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
M4	Multislide 4 Lanes	1	4.50	25.95	550	3120
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
4106	15-20	27 x 7	120	4.50	40 per lane	5.5

* All images are representative and must remain confidential between customer and Plegin Waterparks & Attractions.
 * Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design e.g the types and quantities of the fittings.


PRESTIGE POOL

AD


SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
AD	Aquatube	1	3,60	28,51 / DO 7,80	Ø820 / 400	820 / 960
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
1050	12-14	20 x 10	180	3,60	90	3

* All images are representative and must remain confidential between customer and Prestige Waterparks & Attractions.
 * Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design e.g. the types and quantities of the fittings.


PRESTIGE POOL




PRESTIGE POOL




PRESTIGE POOL




PRESTIGE POOL



PRESTIGE POOL






PRESTIGE POOL



PRESTIGE POOL

3BWT





SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
3BWT	Aquatube	1	4,72	35,97	710	1010
	Wide Slide	2		13,66	500	2000
	Body Slide	3		14,93	620	620
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
2550	11-13	27 x 11	180	4,72	90,00	3,00
	34-36		120	4,72	90,00	3,00
	36-38		120	4,72	100,00	4,00

* All drawings are representative and must remain confidential between customer and Phipps Waterparks & Attractions.

* Pump capacity and position may change by the distance of the machine from the pool and the hydro-mechanical design e.g. the type and quantity of the fittings.

PRESTIGE POOL

3CM2A



SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
3CM2A	Compact Slide	1	3,10	24,64	870	625
	Multislide 2 Lanes	2		12,36	550	780 x 2
	Aquatube	3		25,72	Ø 820	Ø 820
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
1937	11-13	27 x 15	180	3,10	90,00	3,00
	32-34		240	3,10	40 per lane	1,50
	11-13		120	3,10	90,00	3,00




* All measures are representative and must remain confidential between customer and Prestige Waterparks & Attractions.

* Pump capacity and quantities may change by the distance of the machine room and the hydro-mechanical design e.g. the types and quantities of the fittings.

2/5

PRESTIGE POOL

3TFBW






SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
3TFBW	Tunnel Freerail	1	4.32	13.23	Ø 820	Ø 820
	Body Slide	2		31.31	710	1010
	Wide Slide	3		12.10	500	2000
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
2463	32-34	27 x 15	120	4.32	60.00	2.20
	12-14		180	4.32	90.00	3.00
	36-40		240	4.32	90.00	3.00

* All images are representative and should remain confidential between customer and Poligrup Waterpark & Attractions.

* Pump capacity and quantities may change by the distance of the machine room, and the hydro-mechanical design e.g. the types and quantities of the fittings.

PRESTIGE POOL

4AM3BF




SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
4AM3BF	Aquatube	1	6,66	44,18	Ø 820	820
	Multilane 3 Lanes	2		21,82	550	780 x 3
	Body Slide	3		59,17	710	1010
	Freefall	4		22,91	710	1010
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
2874	12-14	30 x 16	120	6,66	100	5,5
	26-30		120	6,66	40 per lane	5,5
	12-13		120	6,66	100	5,5
	26-30		180	6,66	90	4

* All images are representative and must remain confidential between customer and Pulpin Waterparks & Attractions.
* Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design e.g the types and quantities of the fittings.

PRESTIGE POOL

4BM3C0SF





SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
4BM3C0SF	Body Slide	1	7,40	57,06	710	1010
	Multislide 3 Lanes	2		20,73	550	2340 x 3
	Combination Aquatube	3	9,54	49.84 - 25.64	Ø 820 - 1010	Ø 820
	Freefall	4		21,93	710 - 710	1010 - 1010
Tower Weight (kg)	Glope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
5188	12-13	35 x 20	180	7,40	100	5,5
	35-38		120	7,40	40 per lane	5,5
	12-13		180	9,54	100	5,5
	26-30		120	9,54	90	5,5

* All images are representative and must remain confidential between customer and Poligrin Waterparks & Attractions.

* Pump capacity and conditions may change by the distance of the machine room, and the hydro-mechanical design e.g. the type and quantity of the fittings.

PRESTIGE POOL

4M3BHFB





SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
4M3BHFB	Multislide 3 Lanes	1	7,38	22,72	550	760 x 3
	Black Hole	2		70,22	Ø 1400	Ø 1400
	Freefall	3		23,04	710	1010
	Body Slide	4		59,29	710	1010
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
7173	35-40	40 x 19	360	7,38	40 per lane	5,5
	11-13		360	7,38	180	7,5
	34-36		180	7,38	90	5,5
	11-13		120	7,38	100	5,5

* All images are representation and must remain confidential between customer and Pelgin Waterparks S.A. (Prestige Pool).

* Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design e.g the types and quantities of the fittings.

PRESTIGE POOL

4M3BTB





SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
4M3BTB	Multislide 3 Lanes	1	3,96	13,82	550	2340
	Body Slide	2		32,37	710	1010
	Tunnel Freefall	3	6,30	14,28	820	820
	Body Slide	4		51,22	710	1010
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
5491	34-36	28 x 18	360	3,96	40 per lane	5,5
	11-13		180	3,96	90	3
	26-30		120	3,96	60	2,2
	11-13		180	6,30	100	5,5

* All images are representative and must remain confidential between customer and Purgin Waterparks & Attractions.

* Pump capacity and queue time may change by the distance of the machine room and the hydromechanical design e.g. the types and quantities of the fittings.

PRESTIGE POOL

4TABF



SKU	Slide Name	Slide # (Left to Right)	Height (m)	Length (m)	Depth (mm)	Width (mm)
4TABF	Tunnel Freefall	1	4,68	18,23	Ø 820	Ø 820
	Aquatube	2		35,61	Ø 820	Ø 820
	Body Slide	3		36,38	710	1010
	Freefall	4		18,13	710	1010
Tower Weight (kg)	Slope %	Required Area (m)	Max. Capacity Per Hour	Start Height (m)	Flow (m³/h)	Pump Power (kW)
2674	26-30	30 x 10	120	4,68	90	3
	12-13		120	4,68	100	4
	12-13		120	4,68	100	4
	26-30		180	4,68	90	3

* All images are representative and must remain confidential between customer and Fugla Waterparks & Attractions.

* Pump capacity and quantities may change by the distance of the machine room and the hydro-mechanical design e.g the types and quantities of the fittings.

PRESTIGE POOL

ST11



ACCESSORIES

ISOPOD


WATER WHEEL

LONG WHEEL RAIL

MINI BUCKET

W. GUND

1000/BUCKET






SKU	Slide Name	Slide	Slide Height (m)	Top Height (m)	Length (m)
ST11	Aquatube	1	2,10	9,10	12,79
Depth (mm)	Width (mm)	Slope %	Required Area (m)	Max. Capacity Per Hour	
625	870	10-15	15 x 12	140	

* All images are representative and must remain confidential between customer and Pelgin Waterparks S.A. Attractions.
 * Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design e.g the types and quantities of the fittings.

PRESTIGE POOL

ST12D

ACCESSORIES



ISOFOO



WATER WHEEL



LONG WHEEL RAIL




MINI BUCKET



W. GUND



1000/BUCKET



SKU	Slide Name	Slide	Slide Height (m)	Top Height (m)	Length (m)
ST12D	Kids' Wide	1	2,55	9,12	10,29
	Aquatube	2	2,25		11,71 - D05.50
Depth (mm)	Width (mm)	Slope %	Required Area (m)	Max. Capacity Per Hour	
400	1400	30-40	17 x 14	240	
Ø820 / 400	Ø820 / 850	10-15			

* All images are representative and must remain confidential between customer and Pögel Waterparks & Attractions.
 * Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design e.g. the types and quantities of the fittings.

37

PRESTIGE POOL

ST22



ACCESSORIES

ISOFOO


WATER WHEEL

LONG WHEEL RAIL

MINI BUCKET

W. GUND

1000/BUCKET



KIDS POOL
AREA = 180 M²
±0,00
-0,25




SKU	Slide Name	Slide	Slide Height (m)	Top Height (m)	Length (m)
ST22	Aquatube	1	2,10	9,25	17.67 - 3.50
	Kids' Wide	2	1,50		5,29
Depth (mm)	Width (mm)	Slope %	Required Area (m)	Max. Capacity Per Hour	
Ø820 / 400	Ø820 / 960	10-15	17 x 15	360	
400	1400	25-30			

* All images are representative and must remain confidential between customer and Poligra Waterparks & Attractions.
 * Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design e.g the types and quantities of the fittings.

PRESTIGE POOL

ST23

ACCESSORIES

ISOPOD 

WATER WHEEL 

LONG WHEEL RAIL 

MINI BUCKET 

W. GUND 

1000/BUCKET 

HONEY MUSHROOM 



SKU	Slide Name	Slide	Slide Height (m)	Top Height (m)	Length (m)
ST23	Aquatube	1	2,10	9,10	11,03
	Aquatube	2	2,25		14,43
	Aquatube	3	2,85		6,96 -13,35
Depth (mm)	Width (mm)	Slope %	Required Area (m)	Max. Capacity Per Hour	
Ø820	Ø820	10-15	15 x 14	480	
Ø820	Ø820	10-15			
Ø820 / 400	Ø820 - 400	10-15			

* All images are representative and must remain confidential between customer and Poligran Waterparks & Attractions.
 * Pump capacity and quantities may change by the distance of the machine room and the hydromechanical design e.g. the types and quantities of the fittings.

PRESTIGE POOL

ACCESSORIES





















ST33


SKU	Slide Name	Slide	Slide Height (m)	Top Height (m)	Length (m)
ST33		1	2,55	0,25	10,55
		2	1,05		12,55
		3	1,50		3,74
Depth (mm)	Width (mm)	Slope %	Required Area (m)	Max. Capacity Per Hour	
625	870	10-15	26 x 15	550	
625	870	10-15			
400	400	20-25			

* All images are representative and must remain confidential between customer and Prestige Waterparks & Attractions.
* Pump capacity and quantity may change by the dimension of the machine room and the technical characteristics depending the type and quantity of the fittings.

PRESTIGE POOL



PRESTIGE POOL

